



#### **DISTRIBUTION CENTRE**

Search Workshop Supplies Ltd Altnagelvin Industrial Estate Trench Road L'Derry BT47 2ED

#### **CALL US**

MONDAY-FRIDAY 0730 - 1630 NI 028 7131 2225 ROI 01 5060 572

#### **SEND AN EMAIL**

sales@swsni.com

#### ONLINE

www.swsni.com



# HELLO! WE ARE SWS

Half way through the year, and its time for another edition of this successful publication.

For those of you that have been thinking as the year has gone on that it's time to get some of the workshop equipment renewed - now's the time. There's a great deal on **Launch column lifts** on page 5, plus a wide range of other equipment, from an **automatic tyre changer** through to **welders**. At the opposite end of the scale, but equally as important, don't forget to check your stock of disposable seat covers - it's items like this that go a long way towards enhancing your customer's experience.

Very important, and not to be overlooked when you're making a decision on an equipment purchase – an integral part of the SWS experience is the provision of maintenance, training or certification for any of your workshop equipment.

All prices are ex-VAT

Prices shown will apply from 1 August - 30 November 2025 inclusive



# YEARS IN BUSINESS

ARKASIAF2	2
COMMERCIAL VEHICLE EQUIPMENT	4
HAND TOOLS	6
HYGIENE & SAFETY	9
LIGHTING & POWER	10
PAINTS	11
SPECIALIST VEHICLE TOOLS	15
VEHICLE CARE	18
WORKSHOP FOILIPMENT	20

#### THE WORKSHOP ESSENTIAL - ABRASIVES



#### **ALUMINIUM OXIDE FLAP DISC**

Part Number	Grit	Sterling	Euro
FDA11540	40 Grit	£1.99	€2.43
FDA11560	60 Grit	£1.99	€2.43
FDA11580	80 Grit	£1.99	€2.43

- 115mm diameter
- Premium quality aluminium oxide grain on sturdy and durable fibre backing Suitable for a full range of metal applications





#### **ZIRCONIUM FLAP DISC**

Part Number	Grit	Sterling	Euro
FD18040	40 Grit	£6.25	€7.63
FD18060	60 Grit	£6.25	€7.63
FD18080	80 Grit	£6.25	€7.63
FD180100	100 Grit	£6.25	€7.63

180mm diameter





#### **AUTOMATIC TYRE CHANGER | 2 SPEED**

RGU267E £7,950.00 €9,699.85

- Rim diameter 13" 27" | 3 Phase
- Clockwise and anticlockwise rotation of the chuck
- Universal tool head
- Hydraulic lifting of chuck (up and down)
- Electro-hydraulic displacement (left/right) of the arm that contains the tool head
- Tool head with manual lifting and rotation
- Mobile remote control (low voltage)
- Mobile ramp for easy positioning of the wheel
- Safety valve on hydraulic circuit
- Valve to adjust pressure on hydraulic circuit
- 2-speed motor
- Hydraulic pump motor 1.1 kW (1.5 Hp)
- Chuck gearbox motor 1.5 kW (2.0 Hp)
- Spindle shaft working height min 330 mm
- Bead breaking force (in/out) 18.3 kN
- Max rotation torque 3,6 kN
- Clamping force max 33 kN
- Rim central hole min 80 mm
- Max wheel weight 1500 kg
- Max wheel diameter 1640 mm (64")
- Max wheel width 780 mm (30,5")
- Noise < 70 dB (A)
- Manufactured in Italy

#### AIR OPERATED HUB SPLITTER I **MAJOR LIFT**

MPJ9230 £2,650.00 €3,233.28

- Rim diameter 13" 27" | 3 Phase
- Clockwise and anticlockwise rotation of the chuck
- Universal tool head
- Hydraulic lifting of chuck (up and down)
- Electro-hydraulic displacement (left/right) of the arm that contains the tool head
- Tool head with manual lifting and rotation
- Mobile remote control (low voltage)
- Mobile ramp for easy positioning of the wheel
- Safety valve on hydraulic circuit
- Valve to adjust pressure on hydraulic circuit
- 2-speed motor
- Hydraulic pump motor 1.1 kW (1.5 Hp)
- Chuck gearbox motor 1.5 kW (2.0 Hp)
- Spindle shaft working height min 330 mm
- Bead breaking force (in/out) 18.3 kN
- Max rotation torque 3,6 kN
- Clamping force max 33 kN
- Rim central hole min 80 mm
- Max wheel weight 1500 kg
- Max wheel diameter 1640 mm (64")
- Max wheel width 780 mm (30,5")
- Noise < 70 dB (A)
- Manufactured in Italy





## **2 POST VEHICLE LIFT 4.0T | LAUNCH**

TLT240SBA

£1,917.00

€2,338.95

- Ideal for full-service workshops
- Stable and strong structure makes it an excellent choice to increase alignment workflow
- Overloading protection, overvoltage protection and protection against line breakage
- Safety lock in working position
- Safety valve against burst hoses and foot protection

headlight adjustment

- Lifting capacity 400kg
- Total height 2860mm
- Total width 3370mm
- Max. lifting height 1920mm
- Passing width 2486mm
- Lifting/lowering time ‰¤ 55s / ‰¤ 40s
- Motor power 2.2kW
- Concrete strength 250mm
- Voltage 380V / 50Hz







#### 3/4" SQUARE DRIVE MALE TORX **DRIVER STANDARD**

Code	Torx	Sterling	Euro
ISSMTD3460	T60	£25.50	€31.11
ISSMTD3470	T70	£25.50	€31.11
ISSMTD3480	T80	£25.50	€31.11
ISSMTD3490	T90	£25.50	€31.11
ISSMTD34100	T100	£25.50	€31.11

#### 3/4" DRIVE FEMALE TORX STANDARD SOCKET

Code	Torx	Sterling	Euro
ISSFTS34E24	E24	£30.50	€37.21
ISSFTS34E26	E26	£30.50	€37.21
ISSFTS34E28	E28	£30.50	€37.21
ISSFTS34E30	E30	£30.50	€37.21









Code	Size	Sterling	Euro
ISSSSR19	19mm	£18.25	
ISSSSR21	21mm	£18.25	
ISSSSR22	22mm	£18.25	
ISSSSR24	24mm	£18.25	
ISSSSR26	26mm	£19.30	€23.55
ISSSSR27	27mm	£19.30	€23.55
ISSSSR30	30mm	£21.40	€26.11
ISSSSR32	32mm	£23.40	€28.55
ISSSSR34	34mm	£25.50	€31.11
ISSSSR36	36mm	£26.60	€32.45
ISSSSR38	38mm	£31.80	€38.80



#### **TAP & DIE SET | METRIC M2-M18 | POWERHAND**

SIN-450.0001 £117.50



- Dies in same range of sizes
- Manufactured from heat treated steel alloy
  - Supplied in handy blow moulded case

## **TAP & DIE SET | METRIC M3-M12 | POWERHAND**

SIN-450.0002 £35.96 €43.88

- Contains taper & plug (first, second & final cut) taps HSS M2 - M18
- Dies in same range of sizes
- Manufactured from heat treated steel alloy
- Supplied in handy blow moulded case





#### **TAP & DIE SET | METRIC** M6-M30 | POWERHAND

SIN-450.0004 £174.95 €213.46

- A comprehensive tool kit designed for cutting, repairing, and cleaning internal and external threads on various metal surfaces. Set includes a range of high-quality taps and dies in standard metric sizes, making it ideal for commercial workshop applications.
- 23-piece die set, split for fine adjustment of core diameter
- Taper and plug (single cut) taps HSS M6 M30
- Manufactured from heat treated steel alloy
- Each tap and die in this set is constructed of long-lasting alloy steel for maximum durability
- Hardened, precision-ground and polished carbon steel surfaces make chip removal easy
- 1 x Tap wrench
- 2 x Die stockholders (2" & 1.5")
- 1 x T-handle thread tap holder
- 1 x Slotted screwdriver
- 1x blow moulded case



#### TORQUE WRENCH | 1/4" DRIVE | 5 - 25 NM

SIN-201.0001 £50.35 €61.43

- Micrometer type laser etched Nm scale for ease of use
- Push button socket release
- Durable satin black finish
- Supplied in hard case for safe storage & protection of the torque wrench
- 72T ratcheting mechanism gives a 5° ratcheting arc
- Calibrated to ISO 6789-1:2017 (with certificate)
- +/- 4% accuracy

## **TORQUE WRENCH | 3/8" DRIVE | 10 - 60 NM**



#### **TORQUE WRENCH | 3/8" DRIVE | 20 - 120 NM**



### **TORQUE WRENCH | 1/2" DRIVE | 60 - 330 NM**











# KEEFFE'S WORKING INDS | HAND CREAM E7.75 €9.46 Guaranteed relief for extremely dry, cracked hands Unscented O'KEEFFE'S WORKING **HANDS | HAND CREAM**

OKWH

- Hypoallergenic
- O'Keeffe's® Working Hands is a concentrated hand cream that heals, relieves and repairs extremely dry, cracked hands.
- When used daily, O'Keeffe's Working Hands is clinically proven to:
- Instantly boost moisture levels
- Create a protective layer on the skin's surface
- Help prevent further moisture loss
- Make a difference that you will feel within days

#### O'KEEFFE'S WORKING HANDS I **ECZEMA HAND CREAM**

OKWHE

£9.10 €11.10

- Formulated for the treatment of eczema and other dry skin conditions
- Designed to treat symptoms such as itching, redness, scaling and dryness associated with eczema
- The formula helps reduce dry skin flare ups, whilst instantly hydrating to leave the skin feeling soft and comfortable





#### O'KEEFFE'S HEALTHY FEET **FOOT CREAM**

OKHF

£7.50

- For extremely dry, cracked feet
- Unscented
- Non-Greasy
- Hypoallergenic
- O'Keeffe's® for Healthy Feet Foot Cream is a highly effective moisturiser for extremely dry, cracked skin. When used daily, O'Keeffe's for Healthy Feet is clinically proven to:
- Instantly boost moisture levels
- Create a protective layer on the skin's
- Help prevent further moisture loss
- Make a difference that you will feel within days



OKLR £4.09

- Guaranteed relief for extremely dry, cracked lips
- Matt finish
- Hypoallergenic
- This highly effective lip balm heals, relieves and repairs extremely dry, cracked lips
- When used daily, O'Keeffe's® Lip Repair is clinically proven to:
- Provide instant relief and all-day moisture in 1 use
- Create a flexible barrier and heal dry, cracked lips
- Protect against dryness all day, even while you eat and drink
- Absorb quickly to provide soft, smooth lips







#### **AUTOMATIC REWIND CABLE REEL | BRENNENSTUHL**

1241023300

£65.50

- Convenient automatic rewind
- For fitting on walls and ceilings
- Slewable up to 180°
- Robust plastic housing
- Cable length 11m
- Cable HO5VV-F 3G1.5
- Nominal current 13 A

#### **AUTOMATIC REWIND CABLE REEL | BRENNENSTUHL**

#### 1241003300 **£124.95 €152.45**

- Convenient automatic rewind
- For fitting on walls and ceilings
- Slewable up to 180°
- Robust plastic housing
- Cable length 16m +
- Cable HO5VV-F 3G1.5
- Nominal current 13 A



#### 3-WAY SOCKET CABLE REEL **240V | BRENNENSTUHL**

#### 1098253027

£84.95

Robust reel body made from premium plastic

- Galvanised steel tube frame
- 25m plastic cable in black colour
- 3-way socket outlet
  - Reel Ø 260mm
  - Nominal current 13 A
  - 1.5mm² cable



#### 3-WAY SOCKET CABLE REEL **240V | BRENNENSTUHL**

#### 1208113 £66.50 €81.14





- 3-way socket outlet
- Reel Ø 260mm
- Nominal current 13 A
- 2.5mm<sup>2</sup> cable



#### 3-WAY SOCKET CABLE REEL **240V | BRENNENSTUHL**

#### 1208123 £93.75 €114.39

- 40m plastic cable in black colour
- 3-way socket outlet
- Reel Ø 260mm
- Nominal current 13 A
- 2.5mm<sup>2</sup> cable



#### **SATIN BLACK PAINT | 500ML AEROSOL**

SAS25 £37.85 €46.18

- Tough acrylic formula paint for interior and exterior use
- Suitable for use on wood, metal, glass, ceramic, paper, card and most plastics
- Professional fan spray adjustable nozzle for different spray patterns
- **Excellent adhesion**
- Pack x 6



SAS27 £37.85 €46.18

- Tough acrylic formula paint for interior and exterior use
- Suitable for use on wood, metal, glass, ceramic, paper, card and most plastics
- Professional fan spray adjustable nozzle for different spray patterns
- Excellent adhesion
- Pack x 6



#### **MATT BLACK PAINT | 500ML AEROSOL**

SAS28 £37.85 €46.18

- Tough acrylic formula paint for interior and exterior use
- Suitable for use on wood, metal, glass, ceramic, paper, card and most plastics
- Professional fan spray adjustable nozzle for different spray patterns
- Excellent adhesion
- Pack x 6



#### **MEDIUM SILVER PAINT 500ML AEROSOL**

SAS29 £37.85 €46.18

- Tough acrylic formula paint for interior and exterior use
- Suitable for use on wood, metal, glass, ceramic, paper, card and most plastics
- Professional fan spray adjustable nozzle for different spray patterns
- Excellent adhesion
- Pack x 6



#### **POST OFFICE RED PAINT 500ML AEROSOL**

SAS30 £43.85 €53.50

- Tough acrylic formula paint for interior and exterior use
- Suitable for use on wood, metal, glass, ceramic, paper, card and most plastics
- Professional fan spray adjustable nozzle for different sprav patterns
- Excellent adhesion
- Pack x 6





#### **GLOSS WHITE PAINT | 500ML AEROSOL**

SAS31 £40.50

- Tough acrylic formula paint for interior and exterior use
- Suitable for use on wood, metal, glass, ceramic, paper, card and most plastics
- Professional fan spray adjustable nozzle for different spray patterns
- Excellent adhesion
- Pack x 6











#### **ZINC SPRAY | 500ML AEROSOL**

SAS24 £42.34

€51.66

- Use as a primer coat which can be over painted with acrylic, cellulose, alkyd, polyurethane alkyd and epoxy
- Use as a coating on pipes and steel fabrications
- 66% zinc content (in dry film)
- Thin film (e.g. single coat) can be welded through
- Pack x 6

#### **GREY PRIMER PAINT | 500ML AEROSOL**

SAS35 £35.90 €43.80

- Acrylic
- Fast drying



**WHITE PRIMER PAINT | 500ML AEROSOL** 

SAS36 £34.60 €42.22

- Acrylic
- Fast drying









#### **RED OXIDE PRIMER PAINT 500ML AEROSOL**

SAS37 £35.50 €43.31

- Acrylic
- Fast drying



#### **XL COOLING KIT COMMERCIAL**

#### SP331400V2 £338.95

€413.56

- High capacity metal bodied hand pump with 0 - 2.5 bar pressure gauge
- Quick connect hose assembly
- 10 x reservoir and radiator pressure caps
- Dual gauge measures in psi and bar
- Application includes: DAF/Iveco/MAN/ Mercedes/Renault/Scania/Volvo









#### **BALL JOINT SEPARATOR COMMERCIAL**

#### SP08070000 £138.95 €169.53

- Strong, heavy duty body, with strengthened fork and lever
- Allows for greater force to be applied
- Jaw opening 70mm
- Jaw throat width 36mm
- Jaw throat depth 50mm



#### **AIR HAMMER & DESCALING SET | PCL**



#### APP570SET <u>£146.95</u> €179.29

- Excellent for delaminating rust from steel, the de-scaling set's 19 3mm needles remove rust with ease, and can be quickly and effortlessly changed to the hammer action chisels. Comes complete in a hardened plastic carry case with a range of chisels.
- x1 Pistol air hammer
- x1 Quick change retainer
- x5 Round taper chisels
- x1 Screw-on needle scaler attachment
- Reduced vibration
- Swivel inlet
- Unique balanced design

- Quick change retainer
- Specifications include:
- Free speed (rpm) 2,900
- Air consumption 2.73 cfm / 76.4 l/min
- Minimum hose size 3/8 in / 10 mm
- Air inlet 1/4"
- Sound 96.3 dBa
- Vibration (m/s<sup>2</sup>) 4.84
- Mechanism 67 mm Stroke
- Length (mm) 217



#### 3/16" AIR/HYDRAULIC RIVETER

#### UT40PP-A £139.75 €170.51

- Alloy steel jaws and forged aluminum hydraulic cylinder for reliability
- With rubber base plate and swivel joint (connector)
- Ideal for general pop riveting applications on commercial vehicles and trailers
- Traction power 1,100 lbs
- Average air consumption 2 cfm
- Weight 1.5 kg
- Nosepieces 3/32 (2.4 mm), 1/8 (3.2 mm), 5/32 (4.0 mm), 3/16 (4.8 mm)
- Vibration level < 2.5 m/sec2
- Sound pressure 77 db(a)
- Length 270 mm
- Width 98 mm
- Rivet capacity 3/32 3/16 inch aluminium
- Air inlet 1/4 BSP

#### 1/4" AIR/HYDRAULIC RIVETER

UT190R £695.00 €847.97

- Alloy steel jaws and forged aluminum hydraulic cylinder for reliability
- With rubber base plate and swivel joint (connector)
- Ideal for general pop riveting applications on commercial vehicles and trailers
- Traction power 1.100 lbs
- Average air consumption 2 cfm

- Weight 1.5 kg
- Nosepieces 3/32 (2.4 mm), 1/8 (3.2 mm), 5/32 (4.0 mm), 3/16 (4.8 mm)
- Vibration level < 2.5 m/sec2
- Sound pressure 77 db(a)
- Length 270 mm
- Width 98 mm
- Rivet capacity 3/32 3/16 inch aluminium
- Air inlet 1/4 BSP





#### **AIR POWERED NEEDLE SCALER | PCL**

#### APT561

£175.00


€213.52

- Alloy steel jaws and forged aluminum hydraulic cylinder for reliability
- With rubber base plate and swivel joint (connector)
- Ideal for general riveting applications on commercial vehicles and trailers
- Traction Power 3.055 lbs
- Average air consumption 2 cfm
- Weight 1.97 kg

- Stroke 14mm
- Nose Pieces: 3/32 (2.4 mm), 1/8 (3.2 mm), 5/32 (4.0 mm), 3/16 (4.8 mm), 7/32 (5.6 mm), 1/4 (6.4 mm)
- Vibration Level 0.2 m/sec2
- Sound pressure 78 db(a)
- Rivet capacity 3/32 1/4 inch aluminium
- Air inlet 1/4 bsp

# STANDARD POLISHING COMPOUND HEAD






- Thread size 14mm
- Diameter 150mm
- Depth 50mm





Code	Colour	Pressure	Sterling	Euro
PCHV25B	Black	Soft	£3.02	€3.68
PCHV25W	White	Medium	£3.02	€3.68
PCHV250	Orange	Firm	£3.02	€3.68



#### **DISPOSABLE PAPER VEHICLE FLOOR MATS | BROWN**

FM200 £9.25 €11.29

- Large and universal disposable paper floor mats
- Pack quantity 200
- Ideal for protecting the floor of vehicles during a service, MOT or valet
- 38 x 50cm

#### **DISPOSABLE VEHICLE SEAT COVERS**

JSC100 £15.25 €18.61

- 100 pieces supplied on dispenser roll
- Durable plastic construction
- Ideal for use by mechanics, valets and DIY car enthusiasts
- Weight 13 micron



#### **DISPOSABLE STEERING WHEEL COVERS**

SWC250 £16.85 €20.56

- White, disposable
- Pack quantity 250



#### **PREMIUM SEAT COVER | BOXO**

B-SC1 £27.95 €34.10

- 600 denier heavy duty material for increased durability
- Premium embroidered detailing
- Heavy duty, fully waterproof material
- Universal fit for most makes and models

Side airbag openings







## **HEAVY DUTY 500A JUMP LEAD | BRASS CLAMPS | GYS**

GYS564015 £52.95 €64.60

- Diameter 25mm
- Amperage 500 amp
- Length 3.0m

#### **HEAVY DUTY 700A JUMP LEAD | BRASS CLAMPS | GYS**

#### GYS056404

£104.95

- Diameter 35mm
- Amperage 700 amp
- Length 4.5m



#### **HEAVY DUTY 1000A JUMP LEAD | BRASS CLAMPS | GYS**

GYS056602

£154.95

- Diameter 50mm
- Amperage 1000 amp
- Length 5.1m







#### **12 / 24V BOOSTER PACK | 2 X 22AH | POWERSTART**

7202-0020 £519.00 €633.24

- Ideally suited for mixed fleets of 12V and 24V vehicles
- Voltage 12/24V
- Dc battery 2 x 22 Ah
- Cranking amps 1200A/700A
- Peak amps 3500A/1600A
- Cable clamp fully insulated, 1000A
- Safety fuse 350A
- Cables 35mm<sup>2</sup> / 1.7mtr
- Polarity warning
- Spike protection
- Charger automatic 4A
- Weight 17.9kg
- Due to the unique switch arrangement both batteries are utilised for all starts thus prolonging overall battery life, whilst ensuring maximum power delivery every time

#### 12 / 24V HEAVY DUTY BOOSTER PACK | 2 X 28AH | POWERSTART

7202-0027 £945.00 €1,153.00

- Specifically designed for 24V heavy duty use but with the added capability of 12V starts.
- Especially suitable for mixed fleets where the majority of use is on larger 24V vehicles.
- Polarity warning
- Spike protection
- Main switch
- High quality batteries and chargers
- Recyclable polyethylene casings
- Fully insulated cable clamps
- Welding grade cables
- Full in-house aftersales service
- Voltage 12V + 24V DC
- Battery 2 x 28Ah
- Cranking amps\* 1100A/1100A
- Peak amps\*\* 3500A
- Cable clamp 1000A
- Safety fuse 500A
- Cables 50mm<sup>2</sup> x 1.7m
- Charger 8A automatic
- Weight 26kg





- Ideal for the commercial workshop, simple to use, rugged, reliable & offer better welding performance than older transformer MIG machines. Faster welding with less down time, less cleaning up & lower power consumption.
- Input voltage 230V, 1 ph
- MIG amps range 20-410A
- Duty cycle @ 40C MIG: 410A @ 45%, 355A @ 60%
- Red fuse (D type) 16/20A
- Efficiency & idle power 84%, 16W
- OCV no load 72V DC
- Welding wire sizes 0.6-1.2mm
- Weight approx 55kg
- One power source for compact or SWF MIG with true CC/CV multiprocessor capability
- Ready to plug in our Oxford 4X wire feeder to make into a separate wire feed machine
- Use with the 4X feeder allows set up of 2 different wires such as ALU in power source & steel on feeder
- Ready to plug in our Oxford spool guns for even better aluminium welding
- Ready to plug in a TIG torch with switch & gas control with adjustable post flow
- Infinitely variable weld power from 20A to max power with precision to 1A & 0.1V
- Digital display show set values prior to welding & precise values when welding
- Super smooth low spatter MIG welding with perfect welds & instant arc starts without

- popping
- Unique ARC TUNE control allows operator full control over welding characteristics from CV through to CC
- Unique ARC TUNE control variable inductance - fine tune the arc precisely, dial out that spatter etc
- Reversible polarity, 2T/4T function, adjustable burn back, adjustable gas post flow (ideal for TIG)
- Auto compensation for extension cables up to 100M & unstable or poor mains input supply
- Generator friendly with built in protection from over & under voltage, over temp, over current, etc
- High efficiency design & 12-20W standby power reduces running costs & helps the environment
- High duty cycles to keep you welding all day long
- Rugged power source case design with galvanised chassis & front panel bash protection
- Cooling chamber keeps any dirty airflow away from electronic parts
- Low weight & compact size for better portability
- Built to work hard for 25+ years
- Compliance with BS IEC60974-1, WEE/ HD0071UZ, EU2019/1784



#### **MULTIMIG 4X WIRE FEEDER**

Code	Size	Sterling	Euro
M4WF35	35mm x 5m cable	FROM £535.00	FROM €652.76
M4WF50	50mm x 5m cable	FRUM £535.00	FRUIVI €052./0

- A rugged, ultra-compact feeder built on a tough steel chassis
- 4 roll all geared drive for precise feeding of welding wire, fitted with a wire spool cover as standard
- No electronics or controls are fitted in the 4X feeder min parts & max reliability
- With a 5m interconnecting cable & plug in wire feeder welding can start in less than 2 minutes from set-up
- 35mm dia cable, use with 270 & 330 amp Migmaker CS inverter welder
- 50mm dia cable, use with 410 amp Migmaker CS inverter welder



## INTELLI-START PROFESSIONAL **LITHIUM JUMP STARTER & POWER BANK | 12/24V 2000A | PROJECTA**

IS2000

£299.95

€365.97

- For vehicles up to 8.0 litre petrol and 6.0 litre diesel
- Clamp power 12V: 750A, 24V: 500A
- Peak power 2000A
- USB powerbank 24000mAh 5V
- Battery capacity 6Ah 12V, 3Ah 24V
- 2000 battery cycle 4x longer than conventional lithium batteries
- 12/24 V USB charger 3 Ah
- USB charging cable
- Spark free clamps (length 59 cm 25mm²)
- 230V charging dock
- 230V charger 1 Ah

## INTELLI-START INDUSTRIAL **LITHIUM JUMP STARTER & POWER BANK | 12/24V 3000A | PROJECTA**

IS3000 £995.00

€1,214.01

- For all petrol & diesel vehicles
- Clamp power 12V: 1000A, 24V: 850A
- Peak power 3000A
- Battery capacity 12Ah 12V, 6Ah 24V
- 2000 battery cycle 4x longer than conventional lithium batteries
- Spark free clamps (length 150 cm 50mm<sup>2</sup>)
- 230V charging dock
- 230V charger 2 Ah





#### **INTELLI-START INDUSTRIAL LITHIUM JUMP STARTER & POWER BANK I** 12/24V 4500A | PROJECTA

IS5000 £1,115.00 €1,360.42

- For all petrol & diesel vehicles
- Clamp power 12V: 1500A, 24V: 1000A
- Peak power 4500A
- Battery capacity 24Ah 12V, 12Ah 24V
- 2000 battery cycle 4x longer than conventional lithium batteries
- Spark free clamps (length 150 cm 75mm2)
- 230V charging dock
- 230V charger 2 Ah







#### **DISTRIBUTION CENTRE**

Search Workshop Supplies Ltd Altnagelvin Industrial Estate Trench Road L'Derry BT47 2ED

#### **CALL US**

MONDAY-FRIDAY 0730 - 1630 NI 028 7131 2225 ROI 01 5060 572

#### **SEND AN EMAIL**

sales@swsni.com

#### ONLINE

www.swsni.com