

ISSUE

DISTRIBUTION CENTRE

Search Workshop Supplies Ltd Altnagelvin Industrial Estate Trench Road L'Derry BT47 2ED

CALL US

MONDAY-FRIDAY 0730 - 1630 NI 028 7131 2225 ROI 01 5060 572

SEND AN EMAIL

sales@swsni.com

ONLINE

www.swsni.com



HELLO! WE ARE SWS

The first edition of The Workshop Essential was so well received it confirmed us in continuing with the format. This is it – the second edition, and there's some great content to check out.

From your basic requirements for **vehicle cleaning**, through the extremely useful **assorted box** range (check them out on pages 16-21 if you haven't come across them previously) to **heavy lifting jacks and axle stands** there's something in here for everyone. Of note are a couple of new lines – an **inspection camera** that links to your phone for those hard-to-reach areas (this one's a real game changer) on page 5, and a good quality **general-purpose spray bottle** on page 10.

With the warmer weather (well, sometimes) and longer days there's never a better time to check out what needs replacing round the workshop – you'll find plenty of inspiration here.

And when you need it – don't forget that nothing has changed with the provision of maintenance, training or certification for any of your workshop equipment. It's an integral part of the SWS experience.

All prices are ex-VAT

Prices shown will apply from 1 April 2025 - 31 July 2025 inclusive



YEARS IN BUSINESS

CONTENTS

AIR TOOLS & HOSES	2
SPECIALIST VEHICLE TOOLS	4
ABRASIVE FLAP WHEELS	6
VEHICLE CLEANING	7
LIFTING EQUIPMENT	11
ASSORTED BOXES	16
CONNECTORS	22
ADHESIVES	23



POLYURETHANE COILED AIR HOSE ASSEMBLY



Part Number	Size	Sterling	Euro
HA5216	8mm ID x 7.5m	£23.77	€29.00
HA5220	10mm ID x 10m	£39.95	€48.74

- Polyurethane PU material
- Nickel plated 360° swivel fittings
- 200 m straight ends with spring guard
- Hose recoils to a fraction of it's working length

PCL

AIRFORCE MK4 TYRE INFLATOR

Part Number	Size	Sterling	Euro
AFG4H05	6ft/1.8m hose	£87.13	€106.31
AFG4H06	9ft/2.7m hose	£89.95	€109.75

- Twin clip-on connector
- Inflates up to 138 psi (9.6 bar)
- Tested to over 400,000 cycles at 100% accuracy
- Meets EC 86/217 and compliant with EN12645:2014



AIRFORCE MK4 TRUCK TYRE INFLATOR

AFG5H36 £106.49 €129.93

- Twin clip-on connector
- Inflates up to 174 psi (12 bar)
- Tested to over 400,000 cycles at 100%
- Meets EC 86/217 and compliant with EN12645:2014
- 12ft/3.6m hose





MICHELIN TYRE INFLATOR

5199356

150CM HOSE

£89.29 €108.94


- For standard valves
- Can be used with nitrogen
- Calibration and performance in accordance with the UNI EN 12645 standard

AIR BLOW GUN | 1/4" BSP **CONICAL NOZZLE**

BG5 £4.84 €5.91

- Max supply pressure 10 bar / 140 psi
- Connection 1/4" female
- Air flow 270 l/min / 9.3 cfm
- Outlet pressure not to exceed 2bar / 28lbf/in²








ACCURA QUBE TYRE INFLATOR

Part Number	Outlet	Sterling	Euro
QUBE1B	UK Plug	£857.14	€1,045.80
QUBE6B	12V	£857.14	€1,045.80

- Space-saving and lightweight design
- Fast accurate inflation / deflation rates
- Ceramic sensor ensures accuracy to ± 0.5% of full sale reading
- Guaranteed accuracy-supplied with calibration certificate
- Pre-set function enables the operator to carry out other tasks during the inflation/ deflation process
- Standalone solution or can be retro-fitted around existing equipment
- Bluetooth enabled works with the PCL Workshop Connect App
- 15-metre Bluetooth range allows user to inflate tyre from a distance
- Users of the Bluetooth enabled QUBE can download the free PCL Workshop Connect app and can benefit from:
- Quick input of vehicle information

- PDF output with before and after tyre pressures
- CSV output to build client data
- Flat/damaged tyre and over inflation notifications
- Security enabled pairing
- Emergency stop function
- 100% standard inflation control from a 15-metre distance
- Display Type: Digital
- Hose Length: 5 m / 16 ft
- Tyre Valve Connection: Euro Clip-on
- Calibration: 0-174 psi / 0-12 bar
- Display Resolution: 0.1 bar / 1 psi
- Accuracy: +/- 0.08 bar
- Maximum Inlet Pressure: 218 psi / 15 bar
- Flow Rate: 2500 l/min @ 10 bar supply
- Temperature Range: -20°C to 70°C

ASS AON 3.9MM RECHARGEABLE INSPECTION CAMERA SIN-120.0300 £265.00 Gives a clear and detailed view of hard-to-reach areas Designed for precision and convenience 180° adjustable flexible camera allows for easy manoeuvrability in tight spaces Compatible with iOS and Android devices Connects seamlessly to a smartphone Provides a large, high-resolution display for accurate inspections Includes USB-C, Apple Lightning, and Micro USB cables for full smartphone compatibility IP67-rated dust and water resistance for durability Includes 1x inspection camera **POWERHAND** 1 x USB-A to USB-C cable 1 x USB-A to Micro USB cable 1 x USB-A to Apple (1) Lightning cable 1 x EVA protective case **NEW** PRODUCT All prices are exclusive of VAT





SPINDLE MOUNTED FLAP WHEEL | ALUMINIUM OXIDE

- Ideal for deburring and general cleaning applications
- Designed for use with electric drills and air tools
- Suitable for a broad range of applications
- Max RPM 16,500


	40 grit	Sterling	Euro	60 grit	Sterling	Euro
25 x 15mm	FW251540	£4.05	€4.94	FW251560	£4.05	€4.94
30 x 20mm	FW302040	£4.75	€5.80	FW302060	£4.75	€5.80
40 x 20mm	FW402040	£5.18	€6.32	FW402060	£5.18	€6.32
40 x 30mm	FW403040	£5.80	€7.08	FW403060	£5.80	€7.08
50 x 20mm	FW502040	£5.96		FW502060	£5.96	€7.27
50 x 30mm	FW503040	£6.64	€8.10	FW503060	£6.64	€8.10
50 x 40mm	FW504040	£7.78	€9.49	FW504060	£7.78	€9.49
60 x 40mm	FW604040	£7.78	€9.49	FW604060	£7.78	€9.49
80 x 50mm	FW805040	£14.83	€18.09	FW805060	£14.83	€18.09

	80 grit	Sterling	Euro	120 grit	Sterling	Euro
25 x 15mm	FW251580	£4.05	€4.94	FW2515120	£4.05	€4.94
30 x 20mm	FW302080	£4.75	€5.80	FW3020120	£4.75	€5.80
40 x 20mm	FW402080	£5.18	€6.32	FW4020120	£5.18	€6.32
40 x 30mm	FW403080	£5.80	€7.08	FW4030120	£5.80	€7.08
50 x 20mm	FW502080	£5.96	€7.27	FW5020120	£5.96	€7.27
50 x 30mm	FW503080	£6.64	€8.10	FW5030120	£6.64	€8.10
50 x 40mm	FW504080	£7.78	€9.49	FW5040120	£7.78	€9.49
60 x 40mm	FW604080	£7.78	€9.49	FW6040120	£7.78	€9.49
80 x 50mm	FW805080	£14.83	€18.09	FW8050120	£14.83	€18.09



M A X I M U M
PERFORMANCE









REPLACEMENT WASH BRUSH HEAD

10" HEAD

£8.41 €10.26

- Ultra soft bristles
- Durable and sturdy
- Use with WB2S, WB3S & WBT

REPLACEMENT WASH BRUSH HEAD

13" HEAD

£11.03 €13.46

- Ultra soft bristles
- Durable & sturdy
- Use with WB2S, WB3S & WBT



CAR SPONGE

Part Number	Size	Туре	Sterling	Euro
CSJ	220 x 120 x 60mm	Large	£1.09	€1.33
LSJ	250 x 120 x 70mm	Large Jumbo	£1.15	€1.40

Yellow





WWW.SWSNI.COM



MICROFIBRE CLOTHS

MFCR6

30 X 40CM £3.84

- Highly absorbent
- Two each of red, blue & yellow

MICROFIBRE CLOTHS



30 X 40CM

£19.57

PACK

€23.88

- Highly absorbent
- Assorted bundle of red, blue & yellow



MICROFIBRE BUFFING BUDDY

MFBBG

50 X 80CM

- Super soft and thick absorbent coral blue microfibre cloth
- Great for drying or for use with detail sprays



MICROFIBRE GLASS CLOTH

MFCG 40 X 48CM

£1.34

Ideal for polishing glass

Super soft fine weave Leaves a streak free finish





AIR HYDRAULIC JACK COMPACT | 2-STAGE RAM

YAK215/N £1,095.00

€1,336.02

- Capacity 40/20 tonne
- Net weight 39kg
- Working air pressure 8-10 bar (116-145 psi)
- Air consumption 400 nl/min
- Minimum height 150 mm
- Number of pistons 2



AIR HYDRAULIC JACK | HEAVY DUTY | EXTRA LONG REACH

YAK215/L

£1,195.00 €1,458.03



STANDARD AXLE STANDS

WS16 £210.52 €256.86

- Min height 370 mm
- Max height 615 mm
- Width 440 mm
- Capacity per pair 16,000 kg
- Pin positions 3







HIGH AXLE STANDS

WS16H £314.18 €383.33

- Min height 705 mm
- Max height 1100 mm
- Width 635 mm
- Capacity per pair 16,000 kg
- Pin positions 3







VERTICAL TRANSMISSION JACK | 1000KG

VTJ1000P £3,575.00

Sy di

- Two way tilt adaptor | Easily adjusted into a precise position when removing most transmission types
- Triple extension ram with chrome piston | For up to 945mm of stroke
- Manual hydraulic double acting power pack | Allows units of up to 1000kg to be removed with a smooth, safe and highly controllable power application
- Large, braked wheels | Easy movement on uneven workshop floors
- BS EN ISO 9001:2008 | Load test certificate supplied with
- CE markings | conform to EC directives.
- Capacity 1000kg
- Minimum height 1155mm
- Extended height 2100mm
- Rams 3
- CW universal adaptor plate

VERTICAL TRANSMISSION JACK | 2000KG

VTJ2000P £3,645.00 €4,447.29

- Two way tilt adaptor | Easily adjusted into a precise position when removing most transmission types
- Triple extension ram with chrome piston | For up to1020mm of stroke
- Manual hydraulic double acting power pack | Allows units of up to 2000kg to be removed with a smooth, safe and highly controllable power application
- Large, braked wheels | Easy movement on uneven workshop floors
- BS EN ISO 9001:2008 | Load test certificate supplied with each unit
- CE markings | conform to EC directives.
- Capacity 2000kg
- Minimum height 1110mm
- Extended height 2130mm
- Rams 2
- CW universal adaptor plate







500KG FLOOR HUB JACK

FHJ500

£2,195.00

€2.678.14

- Ideal for workshops where space is at a premium
- Easy access pump handle
- Two way tilt facility
- Heavyweight power lifting
- Heavy duty wheels







ASSORTED BOX | METRIC INTERNAL & EXTERNAL CIRCLIPS

AB37

£19.04

- 10 x internal 11, 13, 16, 19, 21, 22, 25, 30, 35, 38 mm
- 10 x external 11, 13, 16, 19, 21, 22, 25, 30, 35, 38 mm

ASSORTED BOX | METRIC SPRING ROLL PINS



300

£17.90

- OD x length
- 2.5 x 24mm, 2.5 x 36mm, 3 x 24mm, 3 x 40mm, 4 x 24mm, 4 x 40mm, 5 x 24mm, 5 x 40mm, 6 x 24mm, 6 x 40mm, 8 x 24mm, 8 x 55mm



ASSORTED BOX | O-RING SERVICE KIT | METRIC

AB100

419

£12.12

- Nitrile Rubber
- 32 x sizes
- Contains the most commonly used metric sized O-rings
- For industrial and automotive applications





ASSORTED BOX | O-RING SPLICING KIT

AB126

14

£28.87

€35.22

- Nitrile rubber cord
- 1m lengths
- 5 x imperial 1/16", 3/32", 1/8", 3/16", 1/4"
- 6 x metric 1.6mm, 2mm, 3mm, 4mm, 5mm, 5.7mm
- 1 x trimming knife
- 1x cutting block
- 1x super glue 3g





STORAGE RACK | 10 ASSORTED BOXES

ABR

460H X 300W X 210D MM

£33.75

£4118

- PVC coated
- Holds up to 10 assorted boxes for fast and easy retrieval
- Free standing or wall mounted

ASSORTED BOX | SELF DRILLING PAN HEAD SCREWS | PHILLIPS

AB137

500 QTY

£22.22

€2711

- No. 6 x 1/2", 3/4", 1"
- No 8: x 1/2", 3/4", 1"
- No 10 x 1/2", 3/4", 1", 1 1/2", 2"







ASSORTED BOX | GREASE NIPPLES | METRIC

AB115

125 QTY

/

£41.81

€51.01

- Straight | size x pitch
- M6 x 1.00mm, M8 x 1.00mm, M8 x 1.25mm, M10 x 1.00mm
- Angled 45° | size x pitch
- M6 x 1.00mm, M8 x 1.00mm, M8 x 1.25mm, M10 x 1.00mm
- Angled 90° | size x pitch
- M6 x 1.00mm, M8 x 1.00mm, M8 x 1.25mm, M10 x 1.00mm


ASSORTED BOX COMPRESSION SPRINGS



70 QTY

£21.13 €25.78

- Length x OD
- 21.2 x 8.9 mm, 22.5 x 9.0 mm, 25 x 12.2 mm, 26.5 x 5.4 mm, 31.5 x 10.4 mm, 37 x 7.8 mm, 65.5 x 13 mm, 66 x 10.4 mm, 100 x 18.5 mm, 124 x 16.0 mm





ASSORTED BOX EXTENSION SPRINGS

70 OTY

£29.40

- Length x OD
- 29.5 x 6.4mm, 31.5 x 5.0mm. 33.3 x 6.8mm, 56.5 x 7.8mm, 74 x 10.3mm, 90 x 11.4mm, 126 x 9.4mm

ASSORTED BOX | PIPE REPAIR KIT

AB74

72 QTY

- 6 x 0-clips
- 7/16", 1/2", 9/16", 5/8", 3/4", 7/8"
- 6 x pipe joiners (hose ID)
- 3/16", 1/4", 5/16", 3/8", 1/2", 5/8"







ASSORTED BOX | MINI HOSE CLIPS

AB102

100 QTY

£42.40

€51.73

- Diameter range (mm)
- 7-9, 8-10, 9-11, 10-12, 11-13, 12-14, 13-15, 14-16, 15-17, 16-18





ASSORTED BOX | BRAKE SHOE HOLD DOWN KIT

AB145

200 QTY

£34.06

- 3 x pins
- Suit Ford, GM, Rover
- 2 x washers
- Suit Lockheed, Girling
- 4 x springs
- Suits Ford, Vauxhall/GM, Lockheed, BL

ASSORTED BOX | SPLIT PINS | IMPERIAL

AB32 800 QTY

£18.48 €22.55

- OD x length
- 1/16" x 1" (1.6 x 25 mm), 5/64" x 1" (2.0 x 25 mm), 3/32" x 1" (2.4 x 25 mm), 3/32" x 11/2" (2.4 x 38 mm), 7/64" x 11/2" (2.8 x 38 mm), 1/8" x 1 1/2" (3.2 x 40 mm), 9/64" x 11/2" (3.6 x 40 mm), 5/32" x 1 5/8" (4.0 x 40 mm)





ASSORTED BOX | HEAT SHRINK TUBING LENGTHS

AB103 | 172 QTY | 50MM

£19.16

- Polvolefi
- Shrink ratio 2:1
- 3.2, 4.8, 6.4, 12.7mm
- Assorted black, blue, red, yellow



ASSORTED BOX | LARGE SPLIT PINS | IMPERIAL

225 QTY

£20.22

€24.67

- OD x length
- 1/8" x 11/2" (3.2 x 38mm), 5/32" x 2" (4.0 x 51mm), 3/16" x 2" (4.8 x 51mm), 1/4" x 3" (6.3 x 76mm), 5/16" x 3" (7.9 x 76mm)







ASSORTED BOX | GLASS & TORPEDO FUSES

350 QTY £20.22

- 8 x glass fusex 2, 5, 10, 15, 20, 25, 35, 50 amp
- 4 x torpedo fuses 5, 8, 16, 25 amp



ASSORTED BOX | MICRO FUSES

AB175 200 QTY

£21.13

- Nylon housing
- Rating 3, 4, 5, 7.5, 10, 15, 20, 25, 30 amp





ASSORTED BOX | STANDARD ADE FUSES WITH HOLDERS

AB164

105 QTY £14.75 €18.00

Rating 3, 4, 5, 7.5, 10, 15, 20, 25, 30 amp



ASSORTED BOX | MINI BLADE FUSES

AB165 200 QTY £19.09 €23.29

Rating 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 amp



ASSORTED BOX | COPPER TUBE TERMINALS

AB114

40 QTY

£34.15

€41.67

- Cable dia x bolt hole
- 10mm² x 8 mm, 16mm² x 8 mm, 25mm² x 6 mm, 25mm² x 8 mm, 35mm² x 8 mm, 35mm² x 8 mm, 50mm² x 10 mm, 70mm² x 12 mm

ASSORTED BOX | SUMP PLUG WASHERS

AB117

265 QTY

£38.52

£47∩∩

- 4 x copper compression
- 12 x 17 x 2.00, 14 x 20 x 2.0, 16 x 22 x 2.0, 18 x 24 x 2.0 mm
- 4 x flat copper
- 10 x 20 x 2.00, 12 x 17 x 1.5, 14 x 20 x 1.5, 14 x 20 x 2.0 mm
- 2 x aluminium
- 14 x 22 x 2.0, 18 x 24 x 1.5 mm
- 2 x flanged rubber 0-ring
- 11 x 21 2.5, 13 x 22 x 3.0 mm
- 1 x nitrile rubber 0-ring
- 18 x 2 NBR
- 1 x fibre
- 12 x 24 x 2.0 mm
- 1 x bonded seal
- 16.7 x 24 mm



ASSORTED BOX | COPPER SEALING WASHERS

AB23

225 QTY

£30.24

1

€36.90

Imperial



ASSORTED FLIP BOX | 8 DIVIDERS


ΔRM

43H X 2124W X 138D MM

£4.50

€5.49

- Standard size transparent polypropylene compartment box
- Hinged lid with overlaps on all sides of the box tray
- 2 x snap latches for secure closing
- 8 x removable dividers for up to 10 compartments in various configurations
- Boxes can be stacked or stored in the storage rack | page 17









BRASS CONNECTOR | PUSH FIT

- Equal straight
- Max working pressure 18 bar

Part Number	Size	Sterling	Euro
947450304	6mm	£5.58	€6.81
947450305	8mm	£5.58	€6.81
947450306	10mm	£6.25	€7.63
947450307	12mm	£9.35	€11.41



STRAIGHT CONNECTOR | PUSH FIT

- Plastic/nickel plated brass
- Air & vacuum only
- Negative pressure 750mm HG (10 torr)
- Working temperature 0°C to +60°C
- Max working pressure 10 bar

Part Number	Size	Sterling	Euro
2019-8305	6mm 0D	£2.26	€2.76
2019-8313	8mm OD	£2.69	€3.28
2019-8321	10mm 0D	£2.72	€3.32
2019-8339	12mm OD	£2.90	€3.54





LOW VISCOSITY SUPER GLUE | SAS

SAS4950

20G

£3.71 €4.53

- General purpose fast curing adhesive
- Bonds metal, rubber and most materials in seconds.
- Low viscosity
- Gap fill 0.1mm cure
- Time 2-40 seconds





ACTIVATOR AEROSOL | SAS

SAS325

200ML

£7.69

- Dramatically increases the cure speed of super glue adhesives
- Can help the cure rate when used in large gaps
- Aids bonding on porous materials
- Suitable for use on PVC, plastic, glass & metal

MEDIUM STRENGTH NUT LOCK | SAS

SAS2430

50ML

£7.70



- Locks and seals nuts. bolts and screws
- Prevents shock and vibration loosening and leakage on all types of metal fasteners
- Can withstand harsh environments vet is removable with hand tool
- Gap fill 0.1mm



HIGH STRENGTH STUD LOCK | SAS

SAS2710

50ML

£6.80

- General purpose fast curing adhesive
- Bonds metal, rubber and most materials in seconds.
- Low viscosity
- Gap fill 0.1mm cure
- Time 2-40 seconds



CLEAR INSTANT GASKET | SAS

50G

£8.12

- Provides high strength retention under cyclic loading
- Retains full strength and does not suffer fatique under load stress
- Low corrosivity
- Gap fill 0.2mm



50ML

£7.07

HIGH STRENGTH RETAINER | SAS

- Provides high strength retention under cyclic loading
- Retains full strength and does not suffer fatique under load stress
- Low corrosivity
- Use for precision fitting components eg gears, pulleys, sleeves, bearings and cylindrical components, which do NOT normally need dismantling
- Gap fill 0.2mm



BRAKE & AIR LINE SEALANT WITH PTFE | SAS

SAS572

50ML

£11.17

€13.63

- Provides high strength retention under cyclic loading
- Retains full strength and does not suffer fatigue under load stress
- Low corrosivity
- Use for precision fitting components eg gears, pulleys, sleeves, bearings and cylindrical components, which do NOT normally need dismantling
- Gap fill 0.2mm



HIGH TEMPERATURE INSTANT GASKET | SAS

SAS591

220ML

£18.95

- Black
- For use as a gasket sealant to replace conventional gaskets
- Waterproof formula seals leaks
- Can be used as an adhesive to bond metal, glass and rubber
- Temperature range -40°C up to +240°C (intermittent)
- Excellent water and oil resistance



EXTRA HIGH TEMPERATURE INSTANT GASKET | SAS

SAS592

220ML

£18.95 €23.12

- Red
- Replaces conventional gaskets
- Temperature range -40°C to +350°C (intermittent)
- Compatible with catalytic converters
- Power-can application







ADVANCE AT7 PVC INSULATION TAPE

- Black
- Flame retardant to BS3924 31/90TP



PTFE THREAD SEALING TAPE | PREMIUM QUALITY

GLU5

10 QTY

12MM X 12M

£4.95

€6.04

- Premium quality PTFE thread sealing tape
- Use on all materials including steel, alloy, plastic, copper & ceramics



DUCT TAPE | PREMIUM QUALITY DOUBLE SIDED ADHESIVE FOAM TAPE

50MM X 50M

Part Number	Colour	Sterling	Euro
DT5050B	Black	£4.80	€5.86
DT5050S	Silver	£4.80	€5.86
DT5050W	White	£4.80	€5.86

- Waterproof cloth tape
- Easy tear gloss finish



Part Number	Size	Sterling	Euro
VC402	12mm x 10m	£2.71	€3.31
VC403	19mm x 10m	£2.86	€3.49
VC404	25mm x 10m	£3.24	€3.95
VC405	50mm x 10m	£6.17	€7.53

Green backing







DISTRIBUTION CENTRE

Search Workshop Supplies Ltd Altnagelvin Industrial Estate Trench Road L'Derry BT47 2ED

CALL US

MONDAY-FRIDAY 0730 - 1630 NI 028 7131 2225 ROI 01 5060 572

SEND AN EMAIL

sales@swsni.com

ONLINE

www.swsni.com